

PERMITTEE NAME/ADDRESS (Include Facility Name/Location If Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	12	1		11	12	31



Form Approved.
OMB No. 2040-0004

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29	29	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<110	<110	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	<1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE				
Al Jensen Hatchery Manager, LNFH					509	548-7641	11	12	31		
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

SUSPENDED						SETTLEABLE						PONDS IN USE	GPM
	Oct `11	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW			
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
10/4/2011	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<100	26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									8100	
	UNDER BRIDGE DISCHARGE		<1									96	
	PA POND DISCHARGE	1000ml					<0.1					0	
10/12/2011	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		4.5			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1					96	
	PA POND DISCHARGE	1000 ml		1			<0.1					0	
10/20/2011	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		1.8			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE											8100	
	UNDER BRIDGE DISCHARGE											96	
	PA POND DISCHARGE	1000 ml		1.2			<0.1					0	
10/25/2011	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					96	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	11	1		11	11	30

NOTE: Read Instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	26.3	26.3	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<100	<100	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	<1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	1S*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	<p>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</p>				TELEPHONE		DATE				
Al Jensen Hatchery Manager, LNFH					509 548-7641		11	11	30		
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

Dec. 31 2011

Due to extreme cold temperatures, sample sites were unsafe to access (ice) on the second and fourth weeks of December, 2011.

SUSPENDED						SETTLEABLE						
DATE	Dec '11 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml								29	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	8100
	UNDER BRIDGE DISCHARGE										NURSERY	1990
	PA POND DISCHARGE	1000ml									Trout Pond / FL'S	
											TOTAL GPM¹	20170
12/14/2011	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1	<1		<0.1		<110	29	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100
	UNDER BRIDGE DISCHARGE	1000ml									NURSERY	1990
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM¹	20170
12/20/2011	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			29	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	8100
	UNDER BRIDGE DISCHARGE						<0.1				NURSERY	1990
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM¹	20170
	WEEK 4										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml								29	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100
	UNDER BRIDGE DISCHARGE	1000 ml									NURSERY	1990
	PA POND DISCHARGE	1000 ml									Trout Pond / FL'S	0
											TOTAL GPM¹	20170
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD							
FROM				TO			
YEAR	MO	DAY		YEAR	MO	DAY	
11	10	1		11	10	31	

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	26.3	26.3	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<100	<100	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.0	1.1	1.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE				
Al Jensen Hatchery Manager, LNFH					509	548-7641	11	10	31		
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

		SUSPENDED					SETTLEABLE						
	Nov `11	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
11/1/2011	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<100	26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									8100	
	UNDER BRIDGE DISCHARGE		<1									96	
	PA POND DISCHARGE	1000ml					<0.1					0	
11/8/2011	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1					96	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
11/15/2011	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE											8100	
	UNDER BRIDGE DISCHARGE											96	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
11/29/2011	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					96	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICEADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)Form Approved.
OMB No. 2040-0004

WA-000190-2


PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
11	9	1		11	9	30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	26.3	26.3	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<99.6	<99.6	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<4.0	4.0	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	11	9	30
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE						
	Sept `11	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM	
DATE	Location												
9/1/2011	WEEK 1										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		99.6	26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water									8100	
	UNDER BRIDGE DISCHARGE		<1									96	
	PA POND DISCHARGE	1000ml					<0.1					0	
9/7/2011	WEEK 2										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1					96	
	PA POND DISCHARGE	1000 ml		4			<0.1					0	
9/14/2011	WEEK 3										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE											8100	
	UNDER BRIDGE DISCHARGE											96	
	PA POND DISCHARGE	1000 ml		<1			<0.1					0	
9/22/2011	WEEK 4										ADULT POND 10 X 100'S 8 X 80'S NURSERY Trout Pond / FL'S TOTAL GPM ¹	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			26.3		10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water					8100	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1					96	
	PA POND DISCHARGE	1000 ml					<0.1					0	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	8	1		11	8	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	28	28	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<104	<104	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				4	4.2	4.4	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	<p>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</p>				TELEPHONE		DATE				
AI Jensen Hatchery Manager, LNFH					509	548-7641	11	8	31		
TYPED OR PRINTED					AREA CODE	NUMBER	YEAR	MO	DAY		
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							

* Grab net over influent.



		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
Aug `11		SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW			
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
8/3/2011	WEEK 1										ADULT POND	1000	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<104	28	10 X 100'S	10080	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	8100	
	UNDER BRIDGE DISCHARGE		<1								NURSERY	0	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19180	
8/10/2011	WEEK 2										ADULT POND	1000	
	INTAKE ICICLE	1000 ml		<1			<0.1			28	10 X 100'S	10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml		4.1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19180	
8/17/2011	WEEK 3										ADULT POND	1000	
	INTAKE ICICLE	1000 ml		<1			<0.1			28	10 X 100'S	10080	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	8100	
	UNDER BRIDGE DISCHARGE										NURSERY	0	
	PA POND DISCHARGE	1000 ml		4			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19180	
8/23/2011	WEEK 4										ADULT POND	1000	
	INTAKE ICICLE	1000 ml					<0.1			28	10 X 100'S	10080	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19180	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

When values are preceded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	6	1		11	6	30

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	18	18	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	28	28	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	3.1	4.4	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	11	6	30
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
	June `11	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D			
DATE	Location												
6/1/2011	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	1.3		0.4		<0.1		29	18	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE		1.7								NURSERY	0	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
6/8/2011	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		3.8			<0.1			18	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
6/15/2011	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		4.4			<0.1			18	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE										NURSERY	0	
	PA POND DISCHARGE	1000 ml		4.2			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
6/23/2011	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			18	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 11	7	1	TO	11	7	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	24	26	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	96	96	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A				2/Month
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1		74	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*				2/Month
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2				1/Week
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	11	7	29
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



SUSPENDED							SETTLABLE					
July '11		SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
DATE	Location											
7/7/2011	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml	1.2		1.4		<0.1		88	18	10 X 100'S	6300
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	6300
	UNDER BRIDGE DISCHARGE		2.6								NURSERY	0
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	12600
7/14/2011	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			26	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0
	PA POND DISCHARGE	1000 ml		74			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	18180
7/19/2011	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			26	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	8100
	UNDER BRIDGE DISCHARGE										NURSERY	0
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	18180
7/27/2011	WEEK 4										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml					<0.1			26	10 X 100'S	10080
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8100
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	18180
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	5	1		11	5	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	17	22.7	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<34	<34	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	0.1	N/A			2/Month	Grab	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.6	2.9	4.2	MG/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	15*			2/Month	Grab	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	0.2			1/Week	Grab	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	11	5	31
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
	May `11	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D			
DATE	Location												
5/3/2011	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<34	9.1	10 X 100'S	0	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE		<1								NURSERY	0	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	6300	
5/11/2011	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		2.6			<0.1			22.7	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	9450	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml		1.6			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	15750	
5/19/2011	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		3.4			<0.1			18.1	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE										NURSERY	0	
	PA POND DISCHARGE	1000 ml		4.2			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
5/26/2011	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			18.1	10 X 100'S	6300	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	12600	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location If Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICEADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD


YEAR			MO			DAY		
11	4	1	TO	11	4	30		

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	18.25	29.7	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	112	112	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A				2/Month
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1.6	1.6	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*				2/Month
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2				1/Week
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
Al Jensen Hatchery Manager, LNFH						509	548-7641	11	4	29	
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.



SUSPENDED						SETTLEABLE						
DATE	Apr. '11 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
4/5/2011	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml	1.4		0		<0.1		112	29.7	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	8700
	UNDER BRIDGE DISCHARGE		1.4								NURSERY	0
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	20600
4/14/2011	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			29.7	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8700
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0
	PA POND DISCHARGE	1000 ml		1.6			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	20600
4/21/2011	WEEK 3										ADULT POND	0
	INTAKE ICICLE	1000 ml		<1			<0.1			4.5	10 X 100'S	0
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	3150
	UNDER BRIDGE DISCHARGE										NURSERY	0
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	3150
4/27/2011	WEEK 4										ADULT POND	0
	INTAKE ICICLE	1000 ml		<1			<0.1			9.1	10 X 100'S	0
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	6300
	UNDER BRIDGE DISCHARGE	1000 ml									NURSERY	0
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	6300
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICEADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)Form Approved.
OMB No. 2040-0004

WA-000190-2


PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR			MO			DAY		
11	3	1	TO	11	3	31		

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29.2	29.4	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<111	<111	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	<1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH							509	548-7641	11	3	31
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

		SUSPENDED					SETTLEABLE					PONDS IN USE	GPM
DATE	Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D			
3/3/2011	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<111	29.4	10 X 100'S	11900	
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	5550	
	UNDER BRIDGE DISCHARGE		<1								NURSERY	2975	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20425	
3/9/2011	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			29.4	10 X 100'S	11900	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	5550	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	2975	
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20425	
3/15/2011	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			29.4	10 X 100'S	11900	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	5550	
	UNDER BRIDGE DISCHARGE										NURSERY	2975	
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20425	
3/22/2011	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			28.9	10 X 100'S	11900	
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	8175	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20075	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	L 8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

*When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICEADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)Form Approved.
OMB No. 2040-0004

WA-000190-2


PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
11	2	1		11	2	28

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	29	29.4	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<108	<108	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	<1	<1	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				OFFICE OF COMPLIANCE AND ENFORCEMENT		TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH					 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		509	548-7641	11	2	28
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

SUSPENDED							SETTLABLE					
DATE	Feb. '11 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
2/3/2011	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<108	28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	5550
	UNDER BRIDGE DISCHARGE		<1								NURSERY	2380
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
2/8/2011	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	5550
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	2380
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
2/15/2011	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		1.8			<0.1			29.4	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	5550
	UNDER BRIDGE DISCHARGE										NURSERY	2975
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	20425
2/23/2011	WEEK 4										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml					<0.1			29.4	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	5550
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	2975
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	20425
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

When values are preceded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE
ADDRESS: Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION: Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2	
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	1	1		11	1	31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
Flow	SAMPLE MEASUREMENT	28.6	28.6	MGD							Total	
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A			Daily		
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	<108	<108	Kg/Day								
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A			1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1	1.5	2	MG/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L				
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.							TELEPHONE		DATE		
Al Jensen Hatchery Manager, LNFH								509	548-7641	11	1	31
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

SUSPENDED						SETTLEABLE						
DATE	Jan. '11	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
1/5/2011	WEEK 1										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml	<1		<1		<0.1		<108	28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000 ml	No Water								8 X 80'S	5550
	UNDER BRIDGE DISCHARGE		<1								NURSERY	2380
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
1/11/2011	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		1			<0.1			28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	5550
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	2380
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
1/20/2011	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		2			<0.1			28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	5550
	UNDER BRIDGE DISCHARGE										NURSERY	2380
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
1/26/2011	WEEK 4										ADULT POND	off
	INTAKE ICICLE	1000 ml					<0.1			28.6	10 X 100'S	11900
	OUTSIDE SC CANAL DISCHARGE	1000ml					No Water				8 X 80'S	5550
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	2380
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19830
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	L 8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

When values are preceeded by the "less than" symbol, I used the reported value in the calculation then added the (<) to the left of the calculated value

¹This amount includes well water

DATE: 04/18/11

PCS LIMITATIONS SUMMARY REPORT

PAGE 1

LIMITATION SUMMARY (LS) REPORT FOR SELECTED FACILITIES

*** FACILITY DATA ***

PERMIT NUMBER: WA0001902

PAGE: 1

FACILITY NAME: INTERIOR, FISH & WILDLIFE
CITY : LEAVENWORTH
COUNTY : CHELAN
REGION : 10 SUB-REGION: 07

MAJOR/MINOR : MINOR
ACTIVITY STATUS: ACTIVE
PERMIT ISSUED : 12/30/74
PERMIT EXPIRES : 08/31/79
SIC CODE : FISH HATCHERIES AND PRESERVES
TYPE OWNERSHIP : FEDERAL
RIVER BASIN : PN/COLUMBIA R-UPPER
COGN. OFFICIAL : DAN DAVIES, HATCHERY MANAGER

*** OUTFALL DATA ***

OUT- FALL	OUTFALL DESCRIPTION	ACTIVITY STATUS	REPORTS START	REPORT FREQ	TOTAL RPTS	INITIAL START	LIMITS END	INTERIM START	LIMITS END	FINAL START	LIMITS END
--------------	------------------------	--------------------	------------------	----------------	---------------	------------------	---------------	------------------	---------------	----------------	---------------

*
*
* PERMIT: WA0001902 CONTAINS NO EFFLUENT DATA
*
*

```
*****
*               Permit Compliance System Report               *
*
*
*               PLEASE REPORT ANY PROBLEMS TO:
* PCS USER SUPPORT: (202) 564-7277 (PCSS) 8:00 AM - 4 PM ET
*   Email Address: PCS-SUPPORT@epa.gov
*
*****
*
*****
*               IMPORTANT -- DO NOT RELEASE ENFORCEMENT SENSITIVE DATA
*
* PCS Enforcement Sensitive Data:
* Inspection Schedules and referred Enforcement Actions that have not
* been filed are considered enforcement sensitive and are not available
* to the public.
*
*****
```